

Colour Sample

Product properties

Ecolabeled color sample to help you make a color choice.

- Color choice
- Colour sample
- Matt

Product use

Used for color selection inside and outside.

Substrate

Must be clean, dry, solid and suitable for surface treatment.

Treatment

Use the color sample for color selection, not as a finishing treatment. The color sample is placed on an object of suitable size. Avoid treatment on the substrate to be painted to avoid marking in the finished result. Use a movable object so that the colour can be viewed from different angles and light incidence. Apply 1-2 times. Some colours require an extra treatment.

Application

Brush or roller. Apply wet on wet and finish by brushing/rolling in the same direction. Differences in surface structure can result in colour deviation. Condensation during drying/curing must not occur.

Expected result

Matt opaque surface with uniform structure and gloss.

Please note!

Please note that minor nuance differences between color card, color sample and final result may occur depending on product choice, gloss, structure, lighting and viewing angle. Can only be used as a color sample and not as a finishing treatment.

Environmental information

Remove as much paint as possible before cleaning. Bring remains of fluent paint to the local recycling centre. Minimize your paint waste by pre-estimating how much paint you need. Keep the leftover paint for future use so you can effectively reduce the environmental impact.



Technical Data

Product Type	Acrylic paint;Colour sample
Gloss	Matte
Density (kgs/l)	1.39
Solids Weight %	58
Solids Vol. %	42
Nominal spreading rate (m²/ltr.)	8
Min. working temp. during application and drying/curing	Min. +10°C
Humidity	Max. humidity 80 % RH.
Drying time at 20° C, 60 % RH (Hours)	1
Recoatable at 20° C, 60 % RH (Hours)	4
Fully cured at 20° C, 60 % RH (Days)	28
Dilution	Water, is usually not diluted
Cleaning of Tools etc.	Water and soap

Current TDS Version

October 2023

Replaces TDS Version

January 2017